

PAPER NAME

6518-8534-1-PB.pdf

WORD COUNT	CHARACTER COUNT
3525 Words	19595 Characters
PAGE COUNT	FILE SIZE
6 Pages	383.4KB
SUBMISSION DATE	REPORT DATE
Apr 4, 2023 11:30 AM GMT+7	Apr 4, 2023 11:30 AM GMT+7

# • 7% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

• 7% Publications database

Crossref Posted Content database

# • Excluded from Similarity Report

- Internet database
- Bibliographic material

- Crossref database
- Cited material

www.iiste.org

# Measurement of Farm Level Efficiency of Beef Cattle Fattening in West Java Province, Indonesia

Agus Yuniawan Isyanto<sup>1</sup>\*, M. Iksan Semaoen<sup>2</sup>, Nuhfil Hanani<sup>2</sup>, Syafrial<sup>2</sup> 1. Department of Socio Economics, Faculty of Agriculture, University of Galuh, Indonesia 2. Department of Socio Economics, Faculty of Agriculture, University of Brawijaya, Indonesia \* Email of corresponding author: gus yun69@yahoo.co.id

#### Abstract

This study was conducted to identify sources of technical efficiency among beef cattle farmers. This was investigated using the stochastic frontier production function which incorporates a model for the technical efficiency effect. Farm level survey data from 100 beef cattle farmers were obtained using well structured questionnaire. The parameters were estimated simultaneously with those of the model of technical efficiency effects. Asymptotic parameter estimates were evaluated to describe technical efficiency determinants by using the maximum likelihood estimation technique. Result reveal a mean efficiency of 0,77 implying that output from beef cattle fattening could be increased by 23 percent using available technology. Results further reveal that education, experience, number of cattle ownership and credit have significant impact on technical inefficiency. Keywords: technical efficiency, technical inefficiency, beef cattle fattening.

#### 1. Introduction

Beef consumption in Indonesia continues to increase, but the increase was not offset by the addition of adequate production. Population growth of beef cattle is relatively sluggish about 4.23% in 2007 (Direktorat Jenderal Peternakan, 2007). The condition causes low contribution to the nationwide production of beef cattle and gap (Setiyono, widening between demand and supply resulting in et al., 2007). One of the solutions to overcome this gap is increasing domestic beef production. It seems that these efforts will be constrained given that more than 90% of beef production in Indonesia is produced by small farmers with 2-3 cows per household farmers (Priyanti, et al., 2012). The characteristics of small farmers is relatively small-scale businesses and use simple technologies (Azis, 1993), and low productivity (Supadi and Sumedi, 2004). Low productivity leads to lower revenue resulting in weak financial position of farmers to support of economic activities (Nwaru, et al., 2006).

Livestock productivity is estimated to 30% influenced by genetic factors and 70% by environmental factors (Prihandini, et al., 2005). Productivity of beef cattle farm are still lower due to various factors including feed, seed and management (Rohaeni, 2006). Managerial ability of farmers associated with the technical efficiency of the farm (Iqbal, et al., 2003). This study estimates the factors influence technical efficiency among beef cattle farmers.

#### 2. Theoretical Framework

Aigner, Lovell and Schmidt (1977) and Meeusen and van den Broeck (1977) in Coelli, et al (1998) proposed the stochastic frontier production function model of the form:

$$lnq_i = x_i'\beta + v_i - u_i$$

(1)

where  $q_i$  represents the output of the *i*-th firm;  $x_i$  is a  $K \ge 1$  vector containing the logarithms of inputs;  $\beta$  is a vector of unknown parameters;  $v_i$  is a symmetric random error to account for statistical noise; and  $u_i$  is a non-negative random variable as pointed with technical inefficiency. The model defined by (1) as called a *stochastic* frontier production function because the output values are

The model defined by (1) is called a *stochastic* frontier production function because the output values are bounded from above by the stochastic (i.e., random) variable  $\exp(x_i'\beta + v_i)$ . The random error  $v_i$  can be positive or regative and so the stochastic frontier outputs vary about the deterministic part of the model,  $\exp(x_i'\beta)$ .

If the technical efficiency of the *i*-th activity is defined as the  $TE_i = \exp(-u_i)$ , this technique involves the influence of inefficiency,  $u_i$ , which can not be observed. Even if the true value of the parameter vector,  $\beta$ , the model of equation (1) is known, the only difference,  $e_i \equiv v_i - u_i$ , which can be observed.  $U_i$  is the best predictor for the expected conditional of  $u_i$ , given by the value of the  $v_i$ - $u_i$ . This result was first applied by Jondrow, Lovell, and Schmidt Materov (1982) in Coelli, et al., (1998) which produces:

$$E\langle u_i | e_i \rangle = -\gamma e_i + \sigma_A \left\{ \frac{\phi(\gamma e_i / \sigma_A)}{1 - \phi(\gamma e_i / \sigma_A)} \right\}$$
(2)

where  $\sigma_A = \sqrt{\gamma(1-\gamma)\sigma_A^2}$ ;  $e_i = ln(y_i) - x_i\beta$ , and  $\phi(.)$  is the density function of a standard normal random variable. Battese and Coelli (1988) in Coelli, et al., (1998) states that the best predictor of  $\exp(-u_i)$  is:

$$E\langle exp(u_i)|e_i\rangle = \frac{1-\phi(\sigma_A+\gamma e_i/\sigma_A)}{1-\phi(\gamma e_i/\sigma_A)}exp(\gamma e_i+\sigma_A^2/2)$$
(3)

<sup>3</sup>Much of stochastic frontier analysis is directed towards the prediction of the inefficiency effects. The most common output-oriented measure of technical efficiency is the ratio of observed output to the corresponding stochastic frontier output:

$$TE_i = \frac{q_i}{\exp(x_i'\beta + v_i)} = \frac{\exp(x_i'\beta + v_i - u_i)}{\exp(x_i'\beta + v_i)} = \exp(-u_i)$$
(4)

<sup>2</sup> his measure of technical efficiency takes a value between zero and one. It measures the output of the *i-th* firm relative to the output that could be produced by a fully-efficient firm using the same input vector.

The model proposed by Battese and Coelli (1995) in Coelli, et al., (1998) on the effect of specific technical inefficiency in the stochastic frontier models are assumed independent (but not identical) of non-negative random variable. For the *i*-th activity in the t period, technical inefficiency effect,  $u_{it}$ , is determined by the distribution of  $N(u_{it}, \sigma^2)$ , where:

$$\mu_{it} = z_{it}\delta$$

(5)

where  $z_{it}$  is a vector (1xM) of the explanatory variables are observed, which has a constant value, and  $\sum_{i=1}^{n} a_{i}$ vector (Mx1) of unknown scalar parameters to be estimated.

#### 3. Research Methodology

The study was carried out in Ciamis District as one of the centers of beef cattle production in West Java Province. Data used for this study are mainly primary and were obtain from 100 beef cattle farmers were randomly selected.

The study utilized stochastic production frontier which builds hypothesized efficiency determinants into the inefficiency error components. The model is defined by:

 $ln Y = \beta_0 + \beta_1 ln X_1 + \beta_2 ln X_2 + \beta_3 ln X_3 + \beta_4 ln X_4 + \beta_5 ln X_5 + v_i - u_i$ (6)

where: Y = body weight gain (kg),  $X_1 = family$  labor (man-day),  $X_2 = feed$  forage (kg),  $X_3 = additional feed$ (cassava) (kg),  $X_4$  = feed concentrate (tofu waste) (kg),  $X_5$  = vaterinary cost (Rp),  $\beta$  = coefficient of regression, and  $v_i$  = random error,  $u_i$  = technical inefficiency effects in the model.

In addition to the general model, this inefficiency model was defined to estimate the influence of some farmer's socio-economic variables on the technical efficiency of the farmers. The model is defined by:

 $\mu_i = \ \delta_0 + \delta_1 Z_1 + \delta_2 Z_2 + \delta_3 Z_3 + \delta_4 Z_4 + \delta_5 Z_5 + \delta_6 D$ where:  $\mu_i$  = technical inefficiency,  $Z_1$  = age (years),  $Z_2$  = education (years),  $Z_3$  = experience (years),  $Z_4$  = family size (persons),  $Z_5$  = number of cattle ownership (livestock unit), D = credit (dummy, 1 if has an access to credit and 0, otherwise),  $\delta$  = regression coefficient.

TE effects model developed by Battese and Coelli (1995) was employed in this study. In this model a Cobb-Douglas type production function and some exogenous factors influencing technical efficiency are determined simustaneously.

**4. Results and Discussion** The model specified was estimated by the maximum likelihood method using a Frontier 4.1 software. Result on Table 1 shows ML estimates and inefficiency determinants. The sigma square 0.0051 statistically significant at the 1% level that indicates a good fit and correctness of the specified distribution assumption of the composite error term. The estimated value of the parameter ( $\gamma$ ) in the model of 0.9999 is statistically different from zero at the 1% level. These results indicate a systematic effect that can not be explained by the production function in the form of the dominant sources of stochastic random error. Approximately 99.99% of the variation in the output level of beef cattle fattening attributed to the presence of technical inefficiency in resource use. The generalized likelihood ratio test (107.2903) is statistically significant at the 1% level indicating the present of a one-sided error component. The results of the diagnostic analysis therefore confirm the relevance of stochastic parametric production function and maximum likelihood estimation.

Table 1 shows that family labor and concentrates feed are statistically significant at 5% and 1% levels and have positive signs. Feed forage and veterinary cost are not significant and have positive signs. Additional feed was not significant and has negative sign which indicate over-utilized.

The model employs a log linear equation so the regression coefficient showed the production elasticity of each input. For example, 1% increase in concentrate feed usage will increase production by 0.42%. The sum of all coefficients less than unity (0.61) shows the decreasing returns to scale.

The estimated coefficients of the inefficiency function provide some explanations for the relative technical efficiency levels among the individual farms. Education, experience, number of cattle ownership, and credit had significant effect on the level of technical inefficiency, while age and family size had no significant effect.

The estimate of the parameter for age variable is negative but not significant. This suggests that older farmers are more technically efficient than their younger counterparts are. This result is consistent with the findings by Bamiro, et al., (2006), Alabi and Aruna (2005), and Serin, et al., (2008).

The estimate of education variable is negative and significant at 5% level. This suggests that higher level of education increases technical efficiency. This result is consistent with the findings by Mor and Sharma (2012), Bamiro, et al (2006), Dung, et al (2011), Chang and Villano (2008), Udoh and Etim (2009), Serin, et al (2008), and Ogunyinka and Ajibefun (2004). More educated farmers are able to perceive, interpret and respond to new information and adopt improved technologies such as seed and feed much faster than their counterparts.

The coefficient of experience variable is positive and significant at 5% level. This suggests that farmers with more experience achieved lower levels of technical efficiency. This result is consistent with the findings by Bamiro, et al., (2006), Chang and Villano (2008), Haider, et al (2011), Adepoju (2008), Ojo (2003), and Ogunniyi and Ajao (2011).

The coefficient of family size variable is positive but not significant. The results show that farmers with more size of family achieved lower levels of technical efficiency. This result is consistent with the findings by Haider, et al., (2011). Larger family size put extra pressure on the family to work hard for an additional income from off-farm employment thereby reducing technical efficiency.

The estimate of the parameter for number of cattle ownership variable is negative and significant at 1% level. This results show that farmers who raised a higher number of cattle achieved a higher level of technical efficiency. This result is consistent with the findings by Alemdar and Yilmaz (2011) and Mariyono (2006). The higher number of cattle needs more allocation of working time by the farmers thereby reducing technical inefficiency. In addition, farmers will try to improve their knowledge and skills in rearing livestock so that it will scheve a high level of technical efficiency.

The coefficient of credit variable is negative and significant at the 10% level. This suggests that increasing credit use would enhance technical efficiency of sample farms. This result is consistent with the findings by Ayaz and Hussain (2011), Nyagaka, et al., (2010) and Javed, et al., (2012). Access to credit permit farmers to enhance efficiency by overcoming liquidity constraints which may effect their ability to purchase and apply inputs and implement farm management decisions on time hence increasing efficiency.

Frequency distribution of technical efficiency levels achieved by farmers are presented in Table 2. Technical efficiency ranged from 0.54 to 0.99 with an average of 0.77. The average technical efficiency of 0.77 indicates inefficiency gap of 0.23. This implies that about 23% higher production could be achieved without additional resources, or input use could be reduced to achieve the same output level. For average farmer to attain the technical efficiency level of their most efficient partner, they would realize cost savings about 22.80% [ i.e. 1-(0.77/0.99)]. On the other hand, the least technical efficient farmers will have cost savings about 45.95% [ i.e. 1-(0.54/0.99)].

The differentiation of the technical efficiency level achieved by farmers indicates the diffetentiation level of mastery and application of technologies. The differentiation of mastery level are caused by education, age, and external factors such as lack of extension (Sukiyono, 2004). Efforts to improve efficiency will be more efficient in terms of cost compared to the introduction of new technologies as a means of increasing agricultural productivity, if farmers are not using efficient technologies (Belbase and Grabowski, 1985; Shapiro, 1983).

#### 5. Conclusion

Estimated farm-specific technical efficiency indices ranged from 0.54 - 0.99 with a mean of 0.77. The average level of technical efficiency suggests that, from a technical standpoint, the opportunity exists to expand beef production using the current level of inputs and the technologis already available in the area. The inefficiency model showed that education, experience, number of cattle ownership, and credit have significant impact on technical inefficiency.

#### 6. Recommendation

Education and experience factors impact on technical efficiency, therefore needed to boost the knowledge and skills of farmers through extension and training activities so farmers can manage the use of production factors efficiently.

#### 7. Acknowledgement

Data were obtained from beef cattle farmers. Hence writers say thank you very much to them in providing data and facilitating the implementation of this study.

#### References

Adepoju, A.A. (2008), "Technical Efficiency of Egg Production in Osun State", International Journal of Agricultural Economics & Rural Development 1(1) 2008, 7-13.

Alabi, R.A. & Aruna, M.B. (2005), "Technical Efficiency of Family Poultry Production in Niger-Delta, Nigeria", *Journal of Central European Agriculture* 6(4), 531-538.

Alemdar, T. & Yilmaz, H. (2011), "Resource Use Efficiency of Turkish Small Scale Dairy Farmers Supported Cooperative in Cukurova Region, Turkey", *Journal of Animal and Veterinary Advances* 10(1), 6-10.

Ayaz, S. & Hussain, Z. (2011), "Impact of Institutional Credit on Production Efficiency of Farming Sector: A Case Study of District Faisalabad", *Pakistan Economic and Social Review* 49(2), 149-162.

Aziz, A.M. (1993), "Strategi Operasional Pengembangan Agroindustri Sapi Potong", *Prosiding Agroindustri Sapi Potong*. Jakarta: CIDES.

Bamiro, O.M., Phillip, D.O.A. & Momoh, S. (2006), "Vertical Integration and Technical Efficiency in Poultry (Egg) Industry in Oun and Oyo States, Nigeria", *International Journal of Poultry Science* 5(12), 1164-1171.

Battese, G.E. & Coelli, T.J. (1995), "A Model for Technical Inefficiency Effects in a Stochastic Frontier Production", *Empirical Eco*. 20, 320-332.

Belbase, K. & Grabowski, R. (1985), "Technical Efficiency in Nepalese Agricultur", *Journal of Development Areas* 19, 515-525.

Chang, H. & Villano, R. (2008), "Technical and Socio-Economic Constrint to Duck Production in the Philippines: A Productivity Analysis", *International Journal of Poultry Science* 7(10), 940-948.

Coelli, T., Rao, D.S.P. & Battese, G.E. (1998), "An Introduction to Efficienty and Productivity Analysis", Kluwer Academic Publishers, Boston-Dordrecht-London.

Direktorat Jenderal Peternakan. (2007), "Statistik Peternakan". Jakarta.

Dung, K.T.D., Sumalde, Z.M., Pede, V.O., McKinley, J.D., Garcia, Y.T. & Bello, A.L. (2011), "Technical Efficiency of Resource-Conserving Technologies in Rice-Wheat Systems: The Case of Bihar and Eastern Uttar Pradesh in India", *Agricultural Economics Research Review* 24, 201-210.

Haider, M.Z., Ahmed, M.S. & Mallick, A. (2011), "Technical Efficiency of Agricultural Farms in Khulna, Bangladesh: Stochastic Frontier Approach", *International Journal of Economics and Finance* 3(3), 248-256.

Iqbal, M., Munir, A. & Kalbe, A. (2003). "The Impact of Institusional Credit on Agricultural Production in Pakistan". *MPRA Paper* No. 3673. Available *http://mpra.ub.uni-muenchen.de/3673* (February 07, 2013).

Javed, M.I., Khurshid, W., Hassan, I., Ali, A. & Nadeem, N. (2012), "Impact of Institutional Credit and Extension Services on Productive Efficiency of Farms: Evidence from Irrigated Punjab, Pakistan", *J. Agric. Res.* 50(1), 145-153.

Mariyono, J. (2006), "Technical Efficiency and Return to Scale of Dairy Farm in Sleman, Yogyakarta", *Animal Production* 8(1), 64-71.

Mor, S. & Sharma, S. (2012), "Technical Efficiency and Supply Chain Practices in Dairying: The Case of India", *Agric. Econ.* 58(2), 85-91.

Nyagaka, D.O., Obare, G.A., Omiti, J.M. & Nguyo, W. (2010), "Technical Efficiency in Resource Use: Evidence from Smallholder Irish Potato Farmers in Nyandarua North District, Kenya", *African Journal of Agricultural Research* 5(11), 1179-1186.

Nwaru, J.C., Onyenweaku, C.E. & Nwosu, A.C. (2006), "Relative Technical Efficiency of Credit and Non-Credit User Crop Farmers", *African Crop Science Journal* 14(3), 241-251.

Ogunniyi, L.T. & Ajao, A.O. (2011), "Investigation of Factors Influencing the Technical Efficiencies of Swine Farmers in Nigeria", *J. Hum Ecol* 35(3), 203-208.

Ogunyinka, E.O. & Ajibefun, I.A. (2004), "Determinants of Technical Efficiency on Farm Production: Tobit Analysis Approach to the NDE farmers in Ondo State, Nigeria", *International Journal of Agricultural & Biology* 6(2), 355-358.

Ojo, S.O. (2003), "Productivity and Technical Efficiency of Poultry Egg Production in Nigeria", *International Journal of Poultry Science* 2(6), 459-464, 2003.

Prihandini, P.W., Pamungkas, D. & Wijono, D.B. (2005), "Kemampuan Mengelola Usaha Peternak dalam Usaha Ternak Sapi Potong (Studi Kasus di Kelompok Tani Makmur Desa Tempel Lemahbang Kecamatan Jepon, Blora), Seminar Nasional Teknologi Peternakan dan Veteriner 2005.

Priyanti, A., Hanifah, V.W., Mahendri, I.G.A.P., Cahyadi, F. & Cramb, R.A. (2012), "Small-Scale Beef Cattle Production in East Java, Indonesia". Contributed paper prepared for presentation at the 56th AARES annual conference, Fremantle, Western Australia, February7-10, 2012.

Rohaeni, E.S., Zuraida, R.. & Hikmah, Z. (2006), "Analisis Kelayakan Usaha Ternak Sapi Potong Melalui Perbaikan Manajemen pada Kelompok Ternak Kawasan Baru", Seminar Nasional Teknologi Peternakan dan Veteriner 2006.

Serin, T., Ramdan, A., Shamsudin, M.D. & Mohamed, Z. (2008), "The Efficiency of Beef Cattle Production: A Case Study in The Target Area of Concentration in Johor, Malaysia", *Economic and Technology Review* 3, 57-74.

Setiyono, P.B.W.H.E., Suryahadi, Torahmat, T. & Syarief, R. (2007), "Strategi Suplementasi Protein Ransum Sapi Potong Berbasis Jerami dan Dedak Padi", *Jurnal Ilmu Pengetahuan dan Teknologi Peternakan* 30(3), 207-217.

Shapiro, K.H. (1983), "Efficiency Differentials in Peasant Agriculture and Their Implications for Development Policies", *Journal of Development Studies* 19, 179-190.

Sukiyono, K., (2004), "Analisis Fungsi dan Efisensi Teknik: Aplikasi Fungsi Produksi Frontier pada Usahatani Cabai di Kecamatan Selupu Rejang Lebong, Kabupaten Rejang Lebong", *Jurnal Ilmu-ilmu Pertanian Indonesia* 6(2), 104-110.

Supadi & Sumedi. (2004), "Tinjauan Umum Kebijakan Kredit Pertanian". ICASARD Working Paper No. 25. Badan Penelitian dan Pengembangan Sosial Ekonomi Pertanian, Badan Penelitian dan Pengembangan, Departemen Pertanian. Jakarta.

Udoh, E.J. & Etim, N.A. (2009), "Measurement of Farm Level Efficiency of Broiler Production in Uyo, Akwa Ibom State, Nigeria", *World Journal of Agricultural Sciences* 5(S), 832-836.

#### Appendixes

Variable	Parameter	Coefficient	Standard Error	t-ratio
Production function				
Constant	$eta_0$	0.6215	0.2941	2.1133**
Family labor	$\beta_{I}$	0.1625	0.0782	2.0774**
Feed forage	$\beta_2$	0.0520	0.1564	0.3324
Additional feed	$\beta_3$	-0.0234	0.0362	-0.6453
Feed concentrate	$\beta_3$ $\beta_4$	0.4156	0.1486	2.7978***
Veterinary cost	$\beta_4$ $\beta_5$	0.0055	0.0261	0.2108
Inefficiency function	F 5			
Constant	$\delta_0$	0.5108	0.2017	2.5332***
Age	$\delta_1$	-0.1040	0.1001	-1.0389
Education	$\delta_2$	-0.1026	0.0614	-1.6720**
Experience	$\delta_3$	0.0925	0.0482	1.9204**
Family size	$\delta_4$	0.0102	0.0464	0.2201
Number of cattle ownership	$\delta_5$	-0.7737	0.0675	-11.4681***
Credit (dummy)	$\delta_7$	-0.0353	0.0218	-1.6203*
Sigma square	$\sigma^2$	0.0051	0.0007	7.3725***
Gamma	γ	0.9999	0.0141	71.0769***
Log likelihood function	= 126,7344***			
LR Test	= 107,2903***			

#### Table 1. Maximum likelihood estimates and inefficiency functions

(\*\*\*) significant at 1%, (\*\*) significant at 5%, (\*) significant at 10%

#### Table 2. Frequency distribution of technical efficiency

Efficiency	Frequency	Percentase
0.51 - 0.60	8	8.00
0.61 - 0.70	16	16.00
0.71 - 0.80	33	33.00
0.81 - 0.90	34	34.00
0.91 - 1.00	9	9.00

minimum = 0.54; maximum = 0.99, mean = 0.77

This academic article was published by The International Institute for Science, Technology and Education (IISTE). The IISTE is a pioneer in the Open Access Publishing service based in the U.S. and Europe. The aim of the institute is Accelerating Global Knowledge Sharing.

More information about the publisher can be found in the IISTE's homepage: <u>http://www.iiste.org</u>

### CALL FOR PAPERS

The IISTE is currently hosting more than 30 peer-reviewed academic journals and collaborating with academic institutions around the world. There's no deadline for submission. **Prospective authors of IISTE journals can find the submission instruction on the following page:** <u>http://www.iiste.org/Journals/</u>

The IISTE editorial team promises to the review and publish all the qualified submissions in a **fast** manner. All the journals articles are available online to the readers all over the world without financial, legal, or technical barriers other than those inseparable from gaining access to the internet itself. Printed version of the journals is also available upon request of readers and authors.

#### **IISTE Knowledge Sharing Partners**

EBSCO, Index Copernicus, Ulrich's Periodicals Directory, JournalTOCS, PKP Open Archives Harvester, Bielefeld Academic Search Engine, Elektronische Zeitschriftenbibliothek EZB, Open J-Gate, OCLC WorldCat, Universe Digtial Library, NewJour, Google Scholar



# **turnitin**

## • 7% Overall Similarity

Top sources found in the following databases:

• 7% Publications database

Crossref Posted Content database

#### TOP SOURCES

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

André Montei Publication	ro. "The Efficiency of Portuguese Techonology Transfer	2%
<b>NEVRA ALHA</b> Crossref posted c	S-EROGLU. "Does specialization matter for technical effic	1%
Construction Publication	Innovation: Information, Process, Management, Volume 1	1%
<b>Letherby, Gay</b> Publication	le, Bywaters, Paul. "Extending Social Research", Extendin	<1%
Journal of Fin Publication	nancial Regulation and Compliance, Volume 22, Issue 3 (2	<1%
Journal of Eco Publication	onomic Studies, Volume 42, Issue 3 (2015)	<1%
International 、 Publication	Journal of Social Economics, Volume 40, Issue 3 (2013-0	<1%
China Agricul Publication	tural Economic Review, Volume 5, Issue 2 (2013-05-27)	<1%
Industrial Mar Publication	nagement & Data Systems, Volume 108, Issue 2 (2008-04	<1%