

Lampiran 5

HASIL ANALISA SPSS

**JENIS\_KELAMIN**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	PRIA	11	22.0	22.0	22.0
	WANITA	39	78.0	78.0	100.0
	Total	50	100.0	100.0	

**UMUR**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	DEWASA	7	14.0	14.0	14.0
	LANSIA	40	80.0	80.0	94.0
	MANULA	3	6.0	6.0	100.0
	Total	50	100.0	100.0	

**STATUS\_PERNIKAHAN**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK MENIKAH	1	2.0	2.0	2.0
	MENIKAH	49	98.0	98.0	100.0
	Total	50	100.0	100.0	

**LAMA\_MENDERITA**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	< 1 TAHUN	9	18.0	18.0	18.0
	> 1 TAHUN	41	82.0	82.0	100.0
	Total	50	100.0	100.0	

**KOMPLIKASI**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK ADA KOMPLIKASI	23	46.0	46.0	46.0
	ADA KOMPLIKASI	27	54.0	54.0	100.0
	Total	50	100.0	100.0	

**KUALITAS\_HIDUP**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	BURUK	46	92.0	92.0	92.0
	BAIK	4	8.0	8.0	100.0
	Total	50	100.0	100.0	

**JENIS\_KELAMIN \* KUALITAS\_HIDUP Crosstabulation**

			KUALITAS_HIDUP		Total
			BURUK	BAIK	
JENIS_KELAMIN	PRIA	Count	11	0	11
		% within JENIS_KELAMIN	100.0%	.0%	100.0%
	WANITA	Count	35	4	39
		% within JENIS_KELAMIN	89.7%	10.3%	100.0%
Total		Count	46	4	50
		% within JENIS_KELAMIN	92.0%	8.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.226 <sup>a</sup>	1	.268
Continuity Correction <sup>b</sup>	.229	1	.633
Likelihood Ratio	2.084	1	.149
Fisher's Exact Test			
Linear-by-Linear Association	1.202	1	.273
N of Valid Cases <sup>b</sup>	50		

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is ,88.

b. Computed only for a 2x2 table

**UMUR \* KUALITAS\_HIDUP Crosstabulation**

			KUALITAS_HIDUP		Total
			BURUK	BAIK	
UMUR	DEWASA	Count	5	2	7
		% within UMUR	71.4%	28.6%	100.0%
	LANSIA	Count	38	2	40
		% within UMUR	95.0%	5.0%	100.0%
	MANULA	Count	3	0	3
		% within UMUR	100.0%	.0%	100.0%
Total		Count	46	4	50
		% within UMUR	92.0%	8.0%	100.0%

**Correlations**

		UMUR	KUALITAS_HIDUP
Spearman's rho UMUR	Correlation Coefficient	1.000	-.286*
	Sig. (2-tailed)	.	.044
	N	50	50
KUALITAS_HIDUP	Correlation Coefficient	-.286*	1.000
	Sig. (2-tailed)	.044	.
	N	50	50

\*. Correlation is significant at the 0.05 level (2-tailed).

**STATUS\_PERNIKAHAN \* KUALITAS\_HIDUP Crosstabulation**

		KUALITAS_HIDUP		Total
		BURUK	BAIK	
STATUS_PERNIKAHAN TIDAK MENIKAH	Count	1	0	1
	% within STATUS_PERNIKAHAN	100.0%	.0%	100.0%
MENIKAH	Count	45	4	49
	% within STATUS_PERNIKAHAN	91.8%	8.2%	100.0%
Total	Count	46	4	50
	% within STATUS_PERNIKAHAN	92.0%	8.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.089 <sup>a</sup>	1	.766
Continuity Correction <sup>b</sup>	.000	1	1.000
Likelihood Ratio	.169	1	.681
Fisher's Exact Test			
Linear-by-Linear Association	.087	1	.768
N of Valid Cases <sup>b</sup>	50		

a. 3 cells (75,0%) have expected count less than 5. The minimum expected count is ,08.

b. Computed only for a 2x2 table

**LAMA\_MENDERITA \* KUALITAS\_HIDUP Crosstabulation**

		KUALITAS_HIDUP		Total
		BURUK	BAIK	
LAMA_MENDERITA < 1 TAHUN	Count	7	2	9
	% within LAMA_MENDERITA	77.8%	22.2%	100.0%
> 1 TAHUN	Count	39	2	41
	% within LAMA_MENDERITA	95.1%	4.9%	100.0%
Total	Count	46	4	50
	% within LAMA_MENDERITA	92.0%	8.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.016 <sup>a</sup>	1	.082
Continuity Correction <sup>b</sup>	1.120	1	.290
Likelihood Ratio	2.360	1	.125
Fisher's Exact Test			
Linear-by-Linear Association	2.956	1	.086
N of Valid Cases <sup>b</sup>	50		

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is ,72.

b. Computed only for a 2x2 table

**KOMPLIKASI \* KUALITAS\_HIDUP Crosstabulation**

			KUALITAS_HIDUP		Total
			BURUK	BAIK	
KOMPLIKASI	TIDAK ADA KOMPLIKASI	Count	19	4	23
		% within KOMPLIKASI	82.6%	17.4%	100.0%
	ADA KOMPLIKASI	Count	27	0	27
		% within KOMPLIKASI	100.0%	.0%	100.0%
Total		Count	46	4	50
		% within KOMPLIKASI	92.0%	8.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.104 <sup>a</sup>	1	.024
Continuity Correction <sup>b</sup>	3.015	1	.083
Likelihood Ratio	6.623	1	.010
Fisher's Exact Test			
Linear-by-Linear Association	5.002	1	.025
N of Valid Cases <sup>b</sup>	50		

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 1,84.

b. Computed only for a 2x2 table

**TEKANAN\_KESEHATAN**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	BURUK	46	92.0	92.0	92.0
	BAIK	4	8.0	8.0	100.0
	Total	50	100.0	100.0	

**FUNGSI\_FISIK**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	BURUK	30	60.0	60.0	60.0
	BAIK	20	40.0	40.0	100.0
	Total	50	100.0	100.0	

**ENERGI**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	BURUK	44	88.0	88.0	88.0
	BAIK	6	12.0	12.0	100.0
	Total	50	100.0	100.0	

**TEKANAN\_MENTAL**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	BURUK	18	36.0	36.0	36.0
	BAIK	32	64.0	64.0	100.0
	Total	50	100.0	100.0	

**KEPUASAN\_PIRIBADI**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	BURUK	31	62.0	62.0	62.0
	BAIK	19	38.0	38.0	100.0
	Total	50	100.0	100.0	

**KEPUASAN\_PENGOBATAN**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	BURUK	39	78.0	78.0	78.0
	BAIK	11	22.0	22.0	100.0
	Total	50	100.0	100.0	

**EFEK\_PENGOBATAN**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	BURUK	41	82.0	82.0	82.0
	BAIK	9	18.0	18.0	100.0
	Total	50	100.0	100.0	

**FREKUENSI\_GEJALA\_PENYAKIT**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	BURUK	44	88.0	88.0	88.0
	BAIK	6	12.0	12.0	100.0
	Total	50	100.0	100.0	





