

## LAMPIRAN-LAMPIRAN

### Lampiran 1. Data Hasil *Pretest* dan *Posttest*

N0	PRETEST	POSTEST	SELISIH
1	16,06	13,42	2,64
2	15,46	13,16	2,30
3	16,13	14,77	1,36
4	16,09	12,75	3,34
5	15,94	14,50	1,44
6	16,68	13,73	2,35
7	17,12	12,54	4,58
8	18,10	13,14	4,96
9	18,72	13,10	5,62
10	17,58	13,82	3,76
11	18,99	13,63	5,36
<b>Mean SD</b>	<b>16,99</b>	<b>13,51</b>	3,48
<b>Minimal</b>	<b>18,99</b>	<b>14,77</b>	
<b>Maksimal</b>	<b>15,46</b>	<b>12,54</b>	

## Lampiran 2. Perhitungan Uji Normalitas

### Explore

Notes		
Output Created		18-JUL-2024 15:30:54
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	11
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax		EXAMINE VARIABLES=t1 t2 /PLOT BOXPLOT STEMLEAF NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:04.03
	Elapsed Time	00:00:01.60

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pretest	11	100.0%	0	0.0%	11	100.0%
Posttest	11	100.0%	0	0.0%	11	100.0%

### Descriptives

		Statistic	Std. Error	
Pretest	Mean	16.9882	.36362	
	95% Confidence Interval for Mean	Lower Bound	16.1780	
		Upper Bound	17.7984	
	5% Trimmed Mean	16.9619		
	Median	16.6800		
	Variance	1.454		
	Std. Deviation	1.20598		
	Minimum	15.46		
	Maximum	18.99		
	Range	3.53		
	Interquartile Range	2.04		
	Skewness	.550	.661	
	Kurtosis	-1.106	1.279	
	Posttest	Mean	13.5055	.20628
95% Confidence Interval for Mean		Lower Bound	13.0458	
		Upper Bound	13.9651	
5% Trimmed Mean		13.4888		
Median		13.4200		
Variance		.468		
Std. Deviation		.68414		
Minimum		12.54		
Maximum		14.77		
Range		2.23		
Interquartile Range		.72		
Skewness		.596	.661	
Kurtosis		-.148	1.279	

### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Pretest	.216	11	.159	.912	11	.258
Posttest	.148	11	.200*	.950	11	.648

\*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction



## Pretest


### Pretest Stem-and-Leaf Plot

Frequency Stem & Leaf

2.00	15 . 49
4.00	16 . 0016
2.00	17 . 15
3.00	18 . 179

Stem width: 1.00  
Each leaf: 1 case(s)








## Posttest

### Posttest Stem-and-Leaf Plot

Frequency	Stem & Leaf
2.00	12 . 57
4.00	13 . 1114
3.00	13 . 678
.00	14 .
1.00	14 . 5
1.00	Extremes (>=14.8)

Stem width: 1.00  
 Each leaf: 1 case(s)





### Lampiran 3. Perhitungan Uji Homogen

#### Oneway

<b>Notes</b>		
Output Created		18-JUL-2024 15:43:55
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	22
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax		ONEWAY t1 BY t2 /STATISTICS HOMOGENEITY /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

#### Test of Homogeneity of Variances

		Levene Statistic	df1	df2	Sig.
Test	Based on Mean	5.262	1	20	.033
	Based on Median	3.503	1	20	.076
	Based on Median and with adjusted df	3.503	1	16.294	.079
	Based on trimmed mean	5.156	1	20	.034



**ANOVA**

Test

	Sum of Squares	Df	Mean Square	F	Sig.
Between Groups	66.712	1	66.712	69.403	.000
Within Groups	19.224	20	.961		
Total	85.936	21			

## Lampiran 4. Perhitungan Uji Hipotesis

### T-Test

<b>Notes</b>		
Output Created		18-JUL-2024 16:20:26
Comments		
Input	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	22
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on the cases with no missing or out-of-range data for any variable in the analysis.
Syntax		T-TEST PAIRS=T1 WITH T2 (PAIRED) /CRITERIA=CI(.9500) /MISSING=ANALYSIS.
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.02

### Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	Pretest	16.9882	11	1.20598	.36362
	Posttest	13.5055	11	.68414	.20628

### Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	Pretest & Posttest	11	-.207	.541

**Paired Samples Test**

		Paired Differences				
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference	
					Lower	Upper
Pair 1	Pretest - Posttest	3.48273	1.50490	.45374	2.47172	4.49373

**Paired Samples Test**

		T	df	Sig. (2-tailed)
Pair 1	Pretest - Posttest	7.676	10	.000

## Lampiran 5. Dokumentasi

(Pembukaan dan doa sebelum melakukan kegiatan)



(Tes awal (*Pretest*))



**(Treatment dan pembedaran permainan gobak sodor)**



**Test Akhir (*Posttest*)**

## Lampiran 6. Surat Penelitian



**YAYASAN BAHRUL ULUM MANDALARE**  
**MADRASAH TSANAWIYAH BAHRUL ULUM**  
STATUS : TERAKREDITASI "B"  
NOMOR : 782/BAN-S/M/SK/2019

Sekretariat : Dusun Mandalare Desa Mandalare, No. 82, Kec. Panjalu Kab. Ciamis, 0346264

SURAT KETERANGAN

No: 007/MTs-BU/VIII/2024

Yang bertanda tangan di bawah ini Kepala MTS Bahrul Ulum dengan ini menerangkan nama mahasiswa di bawah ini;

Nama : Muhammad Sopyanudin  
NIM : 2124200026  
Fakultas : Keguruan Dan Ilmu Pendidikan  
Prodi : Pendidikan Jasmani

Telah melaksanakan penelitian Karya Tulis Ilmiah sejak bulan Juli s.d. Agustus 2024, dengan tema : " Pengaruh Permainan Tradisional Gobak Sodor Terhadap Kelincihan Siswa ".

Demikian surat keterangan ini dibuat untuk diketahui dan di pergunakan seperlunya.

