

HUBUNGAN PENGETAHUAN IBU DENGAN PENANGANAN PERTAMA KEJANG DEMAM PADA ANAK DI RUANG MELATI RSUD CIAMIS

Alda Nurani Asmara
Fakultas Ilmu Kesehatan Universitas Galuh

ABSTRAK

Kejang demam adalah sejenis gangguan neurologis yang muncul akibat rangsangan demam yang ditandai dengan suhu badan melebihi 38°C, tanpa adanya infeksi intrakranial yang menyertainya. Tujuannya untuk mengetahui hubungan antara pengetahuan dengan penanganan pertama kejang demam pada anak di Ruang Melati RSUD Ciamis. Penelitian ini bermanfaat bagi responden untuk memberikan informasi khususnya ibu, dalam mengenali gejala kejang demam dan melakukan penanganan awal yang sesuai, sehingga mengurangi risiko komplikasi dan meningkatkan keselamatan anak. Penelitian ini menggunakan analisis korelasional. Populasi penelitian ini ibu yang mempunyai anak dengan riwayat kejang demam di RSUD Ciamis dengan jumlah sampel sebanyak 34 orang. Instrumen yang digunakan dalam penelitian ini adalah kuesioner. Hasil uji *rank spearman* di dapatkan nilai ρ Value 0,000. Nilai ρ Value ini $\leq 0,05$ artinya terdapat hubungan antara Pengetahuan Dengan Penanganan Pertama Kejang Demam Pada Anak di Ruang Melati RSUD Ciamis. Nilai uji *rank spearman* 0,943 artinya memiliki hubungan yang sangat kuat antara pengetahuan dengan penanganan.

Kata kunci : anak, kejang demam, pengetahuan.

**THE RELATIONSHIP OF MOTHER'S KNOWLEDGE WITH FIRST
TREATMENT OF FEVER SEIZURES IN CHILDREN IN THE MELATI
ROOM OF CIAMIS HOSPITAL**

Alda Nurani Asmara
Faculty of Health Sciences, University of Galuh

ABSTRACT

Febrile seizures are a type of neurological disorder that arises due to fever stimulation which is characterized by a body temperature exceeding 38°C, without any accompanying intracranial infection. The aim is to determine the relationship between knowledge and the first treatment of febrile seizures in children in the Melati Room at Ciamis Regional Hospital. This research is useful for respondents to provide information, especially mothers, in recognizing the symptoms of febrile seizures and carrying out appropriate initial treatment, thereby reducing the risk of complications and increasing child safety. This research uses correlational analysis. The study population was mothers who had children with a history of febrile seizures at Ciamis District Hospital with a total sample of 34 people. The instrument used in this research was a questionnaire. The results of the Spearman rank test obtained a ρ value of 0.000. This ρ value is ≤ 0.05 , meaning there is a relationship between knowledge and the first treatment of febrile seizures in children in the Melati Room at Ciamis Regional Hospital. The Spearman rank test value is 0.943, meaning there is a very strong relationship between knowledge and handling.

Key words: *children, febrile seizures, knowledge.*

