

LAMPIRAN


Lampiran 1 Midtrans




Lampiran 2 Midtrans




Lampiran 3 Ngrok




Lampiran 4 php My Admin







Lampiran 5 php My Admin

Lampiran 6 php My Admin




Lampiran 7 php My Admin






Lampiran 8 php My Admin

Lampiran 9 php My Admin



Lampiran 10 php My Admin



Lampiran 11 .env

.env

```
APP_NAME=Laravel
APP_ENV=local
APP_KEY=base64:6AmJSBB8IV1lb3Aglbg3cSIUUmeF4aStKZYQLSoCh5Q=
APP_DEBUG=true
APP_URL=https://rare-bonanza-unfilled.ngrok-free.dev

APP_LOCALE=en
APP_FALLBACK_LOCALE=en
APP_FAKER_LOCALE=en_US

APP_MAINTENANCE_DRIVER=file
# APP_MAINTENANCE_STORE=database

# PHP_CLI_SERVER_WORKERS=4

BCRYPT_ROUNDS=12

LOG_CHANNEL=stack
LOG_STACK=single
LOG_DEPRECATIONS_CHANNEL=null
LOG_LEVEL=debug

DB_CONNECTION=mysql
DB_HOST=127.0.0.1
DB_PORT=3306
DB_DATABASE=db_marketplace_roblox
DB_USERNAME=root
DB_PASSWORD=

SESSION_DRIVER=database
SESSION_LIFETIME=120
SESSION_ENCRYPT=false
SESSION_PATH=/
SESSION_DOMAIN=null

BROADCAST_CONNECTION=log
FILESYSTEM_DISK=local
QUEUE_CONNECTION=database
```

Lampiran 12 .env

.env

```
QUEUE_CONNECTION=database

CACHE_STORE=database
# CACHE_PREFIX=

MEMCACHED_HOST=127.0.0.1

REDIS_CLIENT=phpredis
REDIS_HOST=127.0.0.1
REDIS_PASSWORD=null
REDIS_PORT=6379

MAIL_MAILER=smtp
MAIL_HOST=smtp.gmail.com
MAIL_PORT=465
MAIL_USERNAME=wirendilanadimulya@gmail.com
MAIL_PASSWORD=ovbihnpprjyuxfih
MAIL_ENCRYPTION=ssl
MAIL_FROM_ADDRESS="wirendilanadimulya@gmail.com"
MAIL_FROM_NAME="Roblox Marketplace Escrow"

AWS_ACCESS_KEY_ID=
AWS_SECRET_ACCESS_KEY=
AWS_DEFAULT_REGION=us-east-1
AWS_BUCKET=
AWS_USE_PATH_STYLE_ENDPOINT=false

VITE_APP_NAME="${APP_NAME}"

MIDTRANS_SERVER_KEY=Mid-server-kVRbfTnvZtCvsavbU_YnhWva
MIDTRANS_CLIENT_KEY=Mid-client-lFHOhJxbks8uph7s
MIDTRANS_IS_PRODUCTION=false

```