

## DAFTAR PUSTAKA

- Aliabadi Azam Z et. al. (2020). *Comparison of the Effect of Cold Dialysate versus Stretching Exercises on Severity of Restless Legs Syndrome in Patients Undergoing Hemodialysis: A Randomized Controlled Trial*. <https://doi.org/10.22038/ebcj.2020.51306.2366>
- Aliasgharpour, M., Abbasi, Z., Pedram Razi, S., & Kazemnezhad, A. (2016). *The effect of stretching exercises on severity of restless legs syndrome in patients on hemodialysis*. *Asian Journal of Sports Medicine*, 7(2). <https://doi.org/10.5812/asjasm.31001>
- Algendy Azza Awad et al. (2019). *Effect of Muscles Stretching Exercises on Severity of Restless Legs Syndrome of Adult Patients Undergoing Hemodialysis*. <https://www.researchgate.net/publication/366634267>
- Aljasani et al. (2023). *Comparison of Stretching exercises and leg massage on the severity of restless legs syndrome for hemodialysis patients*. <http://doi.org/10.5281/zenodo.10030147>
- Baumgaertel, M. W., Kraemer, M., & Berlit, P. (2014). *Neurologic complications of acute and chronic renal disease*. *Handbook of Clinical Neurology*, 119, 383–393. <https://doi.org/10.1016/B978-0-7020-4086-3.00024-2>
- Bennett, P. (2015). *Resource packs to facilitate exercise on dialysis*. *Australian Nursing & Midwifery Journal*, 23(6), 39. Retrieved from <http://ezproxy2.library.drexel.edu/login?url=http://search.ebscohost.com/login.aspx?direct=true&db=c8h&AN=111145541&site=ehost-live>
- Black, J.M., & Hawks, J.H. (2014). *Keperawatan Medikal Bedah: Manajemen Klinis untuk Hasil yang Diharapkan*. Jakarta: Salemba Medika.
- Center for Disease Control and Prevention (CDC). *Adults Need for Physical Activity* 2019. Available: <https://www.cdc.gov/physicalactivity/inactivityamong-adults-50plus/index.html> - diakses pada Mei 2024
- Chen Jia-Jin et al. (2022). *Pharmacological and non-pharmacological treatments for restless legs syndrome in end-stage kidney disease*. <https://doi.org/10.1093/ndt/gfab290>
- Fauzi Achmad dkk. (2023). *Efektivitas Aerobic Exercise Dan Stretching Exercise Intradialytic Terhadap Penurunan Restless Leg Syndrome Pada Pasien Gagal Ginjal Kronik Dengan Hemodialisis*. <https://ppnijabar.or.id/ojs/index.php/jkp/article/view/6>

- Fauzi Ahmad et al. (2021). *The Effect of Intradialytic Stretching Training on Restless Legs Syndrome and Sleep Quality in Hemodialysis Patients*. <https://doi.org/10.7475/kjan.2021.33.1.37>
- Fuhs, A., Bentama, D., Antkowiak, R., Mathis, J., Trenkwalder, C., & Berger, K. (2014). *Effects of short-and long-term variations in RLS severity on perceived health status-the COR-Study*. PLoS ONE, 9(4). <https://doi.org/10.1371/journal.pone.0094821>
- Greenwood, S. A., Naish, P., Clark, R., O'Connor, E., Pursey, V. A., Macdougall, I. C., ... Koufaki, P. (2014). *Intra-dialytic exercise training: A pragmatic approach*. *Journal of Renal Care*, 40(3), 219–226. <https://doi.org/10.1111/jorc.12080>
- Indonesian Renal Registry. (2018). *11th Report of Indonesian Renal Registry 2018*. Indonesian Renal Registry, 1–46. Retrieved from [https://www.indonesianrenalregistry.org/data/IRR\\_2018.pdf](https://www.indonesianrenalregistry.org/data/IRR_2018.pdf)
- Laoli Delfrin dkk. (2021). Pengaruh Latihan Fisik Selama Hemodialisis Terhadap Kekuatan Otot Pada Pasien Gagal Ginjal Kronik Di Rumah Sakit Royal Prima Medan. <https://jurnal.stikesht-tpi.ac.id/index.php/jurkep>
- Lekha. (2016). *Effectiveness of Intradialytic Stretching Exercise on Prevention and Reduction of Muscle Cramps among Patients Undergoing Hemodialysis at PSG Hospitals (The Tamil Nadu Dr. M G R Medical University)*. Retrieved from <https://scholar.google.co.id>
- Novak, M., Winkelman, J. W., & Unruh, M. (2015). *Restless Legs Syndrome in Patients With Chronic Kidney Disease*. *Seminars in Nephrology*, Vol. 35, pp. 347–358. <https://doi.org/10.1016/j.semnephrol.2015.06.006>
- Nur Ahyar et al. (2019). *The Effect of Intradialysis Stretching Exercise on The Scale of Restless Leg Syndrome*. <https://www.researchgate.net/publication/330418978>
- Nur, A., Erika, K. A., & Sinrang, A. W. (2018). *The Effect of Intradialysis Stretching Exercise on the Scale of Restless Legs Syndrome*. 3, 16–24.
- Potter, & Perry. (2015). *Fundamental Of Nursing Fundamental Keperawatan*. Salemba Medika.
- Ratnani Grisha et al. (2023). *Advancements in Restless Leg Syndrome Management: A Review of Physiotherapeutic*. <https://doi.org/10.7759/cureus.46779>
- Smeltzer, S., & Bare, B. (2015). *Buku Ajar Keperawatan Medikal Bedah Brunner & Suddarth (8th ed.)*. Jakarta: EGC.

- Stenvinkel P, Ketteler M, Johnson RJ, et al. (2016) IL-10, IL-6, and TNFalpha: *Central factors in the altered cytokine network of uremia—The good, the bad, and the ugly*. *Kidney International* 67: 1216–1233
- Sherwood, L. 2014. *Fisiologi manusia: dari sel ke sistem*. Edisi 8. Jakarta: EGC.
- Widianti, A. T., Hermayanti, Y., & Kurniawan, T. (2017). Pengaruh Latihan Kekuatan terhadap Restless Legs Syndrome Pasien Hemodialisis Effect of Strength Training on Restless Legs Syndrome: Hemodialysis patients. 5 (April 2024), 47–56
- Zainuddin Ricky et al. (2021). *The Application of Intradialytic Stretching Exercise on Restless Legs Syndrome (RLS) Scale in Hemodialysis Patients*. <https://doi.org/10.30994/sjik.v10i1.694>